

Nationale Institute of Public Health

Šrobárova 49/48, 100 00 Prague 10

issues

CERTIFICATE OF SAFETY

We hereby confirm that the ingredients and results of laboratory test of the Food Supplement

BrainMax® Zinc Complex

**Applicant: BRAINMARKET s.r.o., Hladnovská 83/93, 712 00 Ostrava,
Czech Republic**

complies

with Czech Food Law No 110/1997, Decree No 58/2018 on Food Supplements and the composition on foodstuffs, Regulation (EU) No 1169/2011 on the provision of food information to consumers, Regulation (EC) No 1925/2006 of EP and C on the addition of vitamins and minerals and certain other substances to foods, Commission Regulation (EC) No 1170/2009 sets the list of vitamin and minerals and their forms that can be added to foods, including food supplements and Commission Regulation (ES) No 915/2023 setting maximum levels for certain contaminants in foodstuffs

Supplementary information:

Product was assessed and registred by NIPH Prague

(Čj. SZÚ/04833/2025, EX 250351 from 26.5.2025)

and tested by the accredited laboratories of the National Institute of Public Health Prague, Testing Laboratory No 1206, Šrobárova 49/48, 100 00 Prague 10, Czech Republic


Protocol No 4/25/097, No 5/25/16-18, No 183/25/04833


Certificate was issued by NIPH on the request of the applicant.

Validity of the Certificate till 30.5.2028

The number of Certificate: 183-089/25

Date and place of issue: 30.5.2025


Daniela Winklerová, M.Sc.
Head of Unit for Special
Kinds of Food


Hana Bendová, M.Sc., Ph.D.
Head of Centre of Toxicology
and Health Safety





Hygienic Laboratory Klatovy
Pod Nemocnicí 683, 339 01 Klatovy
Czech Republic

Test Report No. 26223/2024



Page No.: 1
Suma pages: 1

Client: Votamax s.r.o.
Hladnovská 83/93
712 00 Ostrava

Analyzed material: Dietary supplement

Date of receipt: 15.2.2024
Date of Performance of the Test: 15.2.2024 - 4.3.2024
Sampling carried out by: client

Sample No.	Description of Tested Item				
4296	BRAINMAX ZINC COMPLEX				
Parameter	Units of Measur.	Sample No: 4296	Uncert. of meas.	Test method identification SOP	Akr.
Zn	mg/tbl.	16,2	20%	ICP 04A: ČSN EN ISO 11885, ČSN EN 480-12, ČSN EN 13346:2001, ČSN 465735, (1)	A

Note:

The results of the analyzes relate to the sample as received.

The information given in the sample description was obtained from the customer. Testing Laboratory is not responsible for it.

Number at the test method identifies the Working Site carrying out the test: 1-Testing Laboratory Brno, Polní 23/340, 639 00 Brno;
2-Testing Laboratory Paskov, Rudé armády 637,739 21 Paskov; 4-Hygienic Laboratory Klatovy, Pod Nemocnicí 683,339 01 Klatovy,
5 - Laboratory ÚNS Kutná Hora, Vítězná 422, 284 03 Kutná Hora.

The Uncertainty of Measurement is defined as a extended uncertainty on significance level 95 % with coefficient of expansion $k=2$. Uncertainty is expressed in accordance with EA-4/16 and does not include the uncertainty of sampling procedure.

Abbreviation in column "Akr." means: A - in the scope of accreditation, N - outside the scope of accreditation, SA - test made by subcontractor
Tests with a flexible scope of accreditation are marked FRA

The results refer only to the tested items. The test report shall not be reproductive except in full, without written approval of the laboratory. The test report does not substitute the decision of regulatory or supervising authorities.



Date of issue:
27.3.2025

Ing. Hana Nebeská
Deputy laboratory manager

end of protocol